

## Module Positions

Written by Administrator  
Monday, 24 May 2010 12:23

---

There are *68 collapsible module positions*. If no module is published to a position, it will not appear, collapsing the entire area.

### Non-Standard Elements

There are non-standard elements that are injected into the template grid structure when enabled via the template parameter.

For example: The logo element is injected into the header-b position. It is inserted in a stacked fashion, meaning, if there are modules published to the header-b position, they will appear in the same column as the logo, just one place below.

You can change the positions of these elements at **Extensions**  **Template Manager**   
**rt\_somaxiom\_j15**

### Layout Control

The positions themselves are highly configurable, with the ability to change the width allocation depending on how many positions are published to a particular module row, such as feature-a/f. This is also applicable to the mainbody which, provides for an easy mechanism to switch the positions and widths of the side columns. For more information, check the documentation linked below.

[Gantry Framework : Layouts Documentation](#) **Preview**

View all module positions live by appending **?tp=1** or **&tp=1** to the end of your URL such as <http://yoursite.com/index.php?tp=1>

The below diagram is of the [Module Variations](#) page.

# Module Positions

Written by Administrator  
Monday, 24 May 2010 12:23

## DRAWER

top a The <b>top</b> position, using its default module styling. <b>TOP-A</b> <a href="#">more</a>	top b The <b>top</b> position, using its default module styling. <b>TOP-B</b> <a href="#">more</a>	top c The <b>top</b> position, using its default module styling. <b>TOP-C</b> <a href="#">more</a>	top d The <b>top</b> position, using its default module styling. <b>TOP-D</b> <a href="#">more</a>	top e The <b>top</b> position, using its default module styling. <b>TOP-E</b> <a href="#">more</a>	top f The <b>top</b> position, using its default module styling. <b>TOP-F</b> <a href="#">more</a>
---	---	---	---	---	---

## NAVIGATION

HOME - FEATURES - **TYPOGRAPHY** - EXTENSIONS - RESET STYLES - J! STUFF -

## SUBNAVIGATION

header a The <b>header</b> position, using its default module styling. <b>HEADER-A</b> header a The <b>header</b> position, using its default module styling. <a href="#">more</a>	header b The <b>header</b> position, using its default module styling. <b>HEADER-B</b> header b The <b>header</b> position, using its default module styling. <a href="#">more</a>	header c The <b>header</b> position, using its default module styling. <b>HEADER-C</b> the june two-thousand-and-ten design <a href="#">more</a>	header d The <b>header</b> position, using its default module styling. <b>HEADER-D</b> <a href="#">more</a>	header e The <b>header</b> position, using its default module styling. <b>HEADER-E</b> header e The <b>header</b> position, using its default module styling. <a href="#">more</a>	header f The <b>header</b> position, using its default module styling. <b>HEADER-F</b> header f The <b>header</b> position, using its default module styling. <a href="#">more</a>
---	---	--	--	---	---

showcase a The <b>showcase</b> position, using its default module styling. <b>SHOWCASE-A</b> showcase a The <b>showcase</b> position, using its default module styling. <a href="#">more</a>	showcase b The <b>showcase</b> position, using its default module styling. <b>SHOWCASE-B</b> showcase b The <b>showcase</b> position, using its default module styling. <a href="#">more</a>	showcase c The <b>showcase</b> position, using its default module styling. <b>SHOWCASE-C</b> showcase c The <b>showcase</b> position, using its default module styling. <a href="#">more</a>	showcase d The <b>showcase</b> position, using its default module styling. <b>SHOWCASE-D</b> showcase d The <b>showcase</b> position, using its default module styling. <a href="#">more</a>	showcase e The <b>showcase</b> position, using its default module styling. <b>SHOWCASE-E</b> showcase e The <b>showcase</b> position, using its default module styling. <a href="#">more</a>	showcase f The <b>showcase</b> position, using its default module styling. <b>SHOWCASE-F</b> showcase f The <b>showcase</b> position, using its default module styling. <a href="#">more</a>
---	---	---	---	---	---

feature a The <b>feature</b> position, using its default module styling. <b>FEATURE-A</b> feature a The <b>feature</b> position, using its default module styling. <a href="#">more</a>	feature b The <b>feature</b> position, using its default module styling. <b>FEATURE-B</b> feature b The <b>feature</b> position, using its default module styling. <a href="#">more</a>	feature c The <b>feature</b> position, using its default module styling. <b>FEATURE-C</b> feature c The <b>feature</b> position, using its default module styling. <a href="#">more</a>	feature d The <b>feature</b> position, using its default module styling. <b>FEATURE-D</b> feature d The <b>feature</b> position, using its default module styling. <a href="#">more</a>	feature e The <b>feature</b> position, using its default module styling. <b>FEATURE-E</b> feature e The <b>feature</b> position, using its default module styling. <a href="#">more</a>	feature f The <b>feature</b> position, using its default module styling. <b>FEATURE-F</b> feature f The <b>feature</b> position, using its default module styling. <a href="#">more</a>
--	--	--	--	--	--

utility a The <b>utility</b> position, using its default module styling. <b>UTILITY-A</b> utility a The <b>utility</b> position, using its default module styling. <a href="#">more</a>	utility b The <b>utility</b> position, using its default module styling. <b>UTILITY-B</b> utility b The <b>utility</b> position, using its default module styling. <a href="#">more</a>	utility c The <b>utility</b> position, using its default module styling. <b>UTILITY-C</b> utility c The <b>utility</b> position, using its default module styling. <a href="#">more</a>	utility d The <b>utility</b> position, using its default module styling. <b>UTILITY-D</b> utility d The <b>utility</b> position, using its default module styling. <a href="#">more</a>	utility e The <b>utility</b> position, using its default module styling. <b>UTILITY-E</b> utility e The <b>utility</b> position, using its default module styling. <a href="#">more</a>	utility f The <b>utility</b> position, using its default module styling. <b>UTILITY-F</b> utility f The <b>utility</b> position, using its default module styling. <a href="#">more</a>
--	--	--	--	--	--

## BREADCRUMB

Home - Features - Module Variations

## Module Positions

Written by Administrator  
Monday, 24 May 2010 12:23

---